

BIBLIOGRAFÍA

AGROSEGURO (2016). www.agroseguro.es. Recuperado el 30 de 08 de 2016 de http://agroseguro.es/fileadmin/propietario/Agroseguro/Cifras_mas_destacadas/2016/EL_SEGURO_AGRARIO_EN_CIFRAS_2015m.pdf

Alba A, Allepuz A, Napp S, Soler M, Selga I, Aranda C, Casal J, Pages N, Hayes EB, Busquets N. 2014. Ecological surveillance for West Nile in Catalonia (Spain), learning of follow-up. Zoonoses and Public Health. (2014) 61:181-91

Alba A, Alvarez J, Sarradell J, Perez A, Morrison R. 2015a [Use of data mining techniques for health management in wean-to-finish, nursery, and finishing pig operations](#). ISVEE. Mexico Yucatan 2014 November 2015

Alba A D. F. 2015b. Exploring the Surveillance Potential of Mortality Data: Nine Years of Bovine Fallen Stock Data Collected in Catalonia. PLoS ONE 10(4): e0122547. doi:10.1371/ .

Alba-Casals, A., Fernández-Fontelo, A., Revie, C.W., Dórea, F.C., Sánchez, J., Romero, L., Cáceres, G., Pérez, A. and Puig, P., 2015. Development of new strategies to model bovine fallen stock data from large and small subpopulations for syndromic surveillance use. *Épidémiologie et Santé Animale*, 67, pp.67-76.

Alba A, Fernández-Fontelo A y Puig P. 2015d. Estudio y modelización de datos de mortalidades registrados en granjas de bovino en Cataluña y Principado de Asturias. Informe final dirigido al MAGRAMA

Alba A, Fernández-Fontelo A Puig P 2016a. Estudio y modelización de datos de mortalidades registrados en granjas de bovino en Cataluña y Principado de Asturias. Validación de algoritmos y detección de picos de mortalidad entre Enero 2014 y Junio 2015. . Informe final dirigido al MAGRAMA

Alba A, Willette M, VanderWaal K, Alvarez J, Ponder J, Perez A. 2016b One Medicine in Action: Use of data from wildlife rehabilitation for syndromic surveillance of zoonotic diseases. International Conference of One Health One Science. Big Data, the Language and Future of One Medicine One Science, Minneapolis, Minnesota USA April 24-27

Alba-Casals A, Allue E, Novel E, Balielles J, Tarancon V, Fraile L 2018 Swine health syndromic surveillance based on clinical signs and presumptive diagnosis data reported at farm level. ESPHM 2018 Barcelona

Arruda AG, Vilalta C, Puig P, Perez A, Alba A. 2018. Time-series analysis for porcine reproductive and respiratory syndrome in the United States. PLoS one, 13(4), p.e0195282.

Allepuz A, de Balogh K, Aguanño R, Heilmann M, Beltran-Alcrudo D. (2017). Review of Participatory Epidemiology Practices in Animal Health (1980-2015) and Future Practice Directions. PLoS One. 12(1):e0169198.

Backer J. Brouwen H. van Schaik G. and van Roermund H. (2011). Using mortality data for early detection of Classical Swine Fever in The Netherlands. *Prev Vet Med.* (99) 38–47.

Backer J. Brouwer H. van Schaik G. and van Roermund H. (2011). Using mortality data for early detection of Classical Swine Fever in The Netherlands. . *Prev Vet Med.* 99 (1) 38–44.

Barrett D., 2017. The Potential for Big Data in Animal Disease Surveillance in Ireland. *Frontiers in veterinary science*, 4, p.150.

Buehler J. Berkelman R. Hartley D. and Peters C. (2002). Syndromic surveillance and bioterrorism-related epidemics. *Emerg. Infect. Dis.* (9) 1197-1204.

Catley A. Aldersb R. and Woodc J. (2012). Participatory epidemiology: Approaches methods experiences. *Vet.Journ.* (2) 151–160.

Ciaravino C, Napp S, Pacios A, Mercader I, Ibarra P, Casal E, Lopez S, Espluga J, Casal J, Anaya L, Allepuz A. (2016). Applying sociological methods to the study of animal diseases: the case of Bovine Tuberculosis in Spain. *Animal epidemiology: past present and future conference*. Bélgica, Lieja September 2016.

del Pozo Vegas, M., 2007. Estudio del brote de peste porcina clásica ocurrido en Castilla y León en los años 1997-1998(Doctoral dissertation).

Ditrentia (2015). Informe Mobile en España y en el Mundo. <http://www.ditrendia.es/wp-content/uploads/2015/07/Ditrendia-Informe-Mobile-en-Espa%C3%B1a-y-en-el-Mundo-2015.pdf>

Dórea, F. C., Dupuy, C., Vial, F., Revie, C., & Lindberg, A. (2015). Standardising syndromic classification in animal health data. *Online J Public Health Inform*, 7(1), e123.

Dórea, F. C., Dupuy, C., Vial, F., Reynolds, T. L., & Akkina, J. E. (2014). Toward One Health: are public health stakeholders aware of the field of animal health?. *Infection ecology & epidemiology*, 4(1), 24267.

Dórea, F. C., Lindberg, A., McEwen, B. J., Revie, C. W., & Sanchez, J. (2014). Syndromic surveillance using laboratory test requests: A practical guide informed by experience with two systems. *Preventive veterinary medicine*, 116(3), 313-324.

Dórea, F. C., McEwen, B. J., McNab, W. B., Revie, C. W., & Sanchez, J. 2013. Syndromic surveillance using veterinary laboratory data: data pre-processing and algorithm performance evaluation. *Journal of the Royal Society Interface*, 10(83), 20130114.

Dorea, F. C., & Vial, F. (2016). Animal health syndromic surveillance: a systematic literature review of the progress in the last 5 years (2011–2016). *Vet Med Res Rep*, 7, 157-69.

Dupuy C., Bronner. A. Watson E. Wuyckhuise-Sjouke L. Reist M. Fouillet A. y otros. (2013). Inventory of veterinary syndromic surveillance initiatives in Europe (Triple-S project): Current situation and perspectives. . *Prev Vet Med.* 111 220–229.

Duval J. Fourichona C. Madouasse A. Sjöström K. Emanuelson U. and Bareille N. (2016). A participatory approach to design monitoring indicators of production diseases in organic dairy farms. *Prev. Vet. Med.* 128 12-22.

EFSA. (2012). EFSA/ECDC - Informe resumido de la UE sobre las tendencias y las fuentes de las zoonosis los agentes zoonóticos y los brotes epidémicos causados por los alimentos en la Unión Europea.

Fernández-Carrión, E., Ivorra, B., Martínez-López, B., Ramos, A.M. and Sánchez-Vizcaíno, J.M., (2016). Implementation and validation of an economic module in the Be-FAST model to predict costs generated by livestock disease epidemics: Application to classical swine fever epidemics in Spain. *Preventive veterinary medicine*, 126, 66-73.

Fernández-Fontelo, A., Fontdecaba, S., Alba, A., & Puig, P. (2017). Integer-valued AR processes with Hermite innovations and time-varying parameters: An application to bovine fallen stock surveillance at a local scale. *Statistical Modelling*, 17(3), 172-195.

Fernández-Fontelo A., Puig P., Caceres G., Romero L., Revie C., Sanchez J., Dórea FC., Alba A. Modelling fallen stock for syndromic surveillance using different levels of administrative aggregation: an illustration based on dairy cattle data from two regions in Spain (PlosOne under revision)

Fundación Telefónica (2015). La Sociedad de la Información en España.
http://www.fundaciontelefonica.com/artes_cultura/publicaciones-listado/pagina-item-publicaciones/itempubli/483/

FVE. (2015). FVE Survey of the Veterinary Profession in Europe. Recuperado el 15 de 08 de 2016 de <http://www.fve.org>: http://www.fve.org/news/download/FVE%20Survey_full_final.pdf

Hennenfent A, DelVento V, Davies-Cole J, Johnson-Clarke F (2017). Expanding veterinary biosurveillance in Washington, DC: The creation and utilization of an electronic-based online veterinary surveillance system. *Prev Vet Med.* 2017 Mar 1;138:70-78

Henning K. J. (2004). Overview of Syndromic Surveillance What is Syndromic Surveillance? *MMWR*

Hoinville, L.J., Alban, L., Drewe, J.A., Gibbens, J.C., Gustafson, L., Häsler, B., Saegerman, C., Salman, M. and Stärk, K.D.C., 2013. Proposed terms and concepts for describing and evaluating animal-health surveillance systems. *Preventive veterinary medicine*, 112(1).1-12.

IDAE. (2006). Instituto de Diversificación y Ahorro Energético. Recuperado el 05 de 07 de 2016 de www.idae.es:
http://www.idae.es/uploads/documentos/documentos_10232_Guia_gestion_combustible_flotas_carretera_06_32bad0b7.pdf

Kanou K, Arima Y, Kinoshita H, Ito H, Okuno H, Saito N, Sunagawa T, Kimura H, Matsui T, Oishi K. (2018) Respiratory Syncytial Virus Surveillance System in Japan: Assessment of Recent Trends, 2008-2015. *Jpn J Infect Dis.* 2018 May 24;71:250-255.

Morignat E, Perrin J.-B, E G, Vinard J.-L, Calavas D. and Hénau V. (2014). Assessment of the Impact of the 2003 and 2006 Heat Waves on Cattle Mortality in France. PLoS ONE 9 (3) e93176.

Mursalova N, Shugayev N, Suleymanova J, Daniels DS4, Wasley A, Cohen AL, Aliabadi N. (2018) Rotavirus gastroenteritis surveillance in Azerbaijan, 2011-2016. Vaccine pii: S0264-410X(18)30232-9

OIE. (2016). World Organization for Animal Health. Terrestrial Animal Health Code. Recuperado el 18 de 08 de 2016 de <http://www.oie.int>: http://www.oie.int/eng/normes/en_mcode.htm?e1d10

Olson D, Lamb M, Lopez MR, Colborn K; Paniagua-Avila A, Zacarias A, Zambrano-Perilla R, Rodríguez-Castro SR, Cordon-Rosales C, Asturias EJ. (2017) Performance of a Mobile Phone App-Based Participatory Syndromic Surveillance System for Acute Febrile Illness and Acute Gastroenteritis in Rural Guatemala. J Med Internet Res. Nov 9;19:e368.

Oyas H, Holmstrom L, Kemunto NP, Muturi M, Mwatondo A, Osoro E, Bitek A, Bett B, Githinji JW, Thumbi SM, Widdowson MA, Munyua PM, Njenga MK. (2018) Enhanced surveillance for Rift Valley Fever in livestock during El Niño rains and threat of RVF outbreak, Kenya, 2015-2016. PLoS Negl Trop Dis. 2018 Apr 26;12:e000635

Perrin J, Ducrot C, Vinard J, Morignat E. and Calavas D. H. (2012). Assessment of the utility of routinely collected cattle census and disposal data for syndromic surveillance. Prev Vet Med. (105) 244–252.

Pfeiffer CN, Campbell AJD, Firestone SM, Stevenson MA, Larsen JWA. Assessing engagement of sentinel farmers in syndromic surveillance reporting. Presented at the 14th ISVEE Symposium (Symposium of the International Society for Veterinary Epidemiology and Economics), 3–7 November, Yucatan, Mexico; 2015.

Red de Alerta Sanitaria Veterinaria (RASVE) . 2018.Ministerio de Agricultura y Pesca, Alimentación y Medio ambiente.Version 2.0.7. 72 <https://servicio.mapama.gob.es/rasve/Acceso.aspx>

Saatkamp, H.W., Berentsen, P.B.M. and Horst, H.S., 2000. Economic aspects of the control of classical swine fever outbreaks in the European Union. Veterinary microbiology, 73(2-3), pp.221-237.

Struchen, R., Reist, M., Zinsstag, J. and Vial, F., 2015. Investigating the potential of reported cattle mortality data in Switzerland for syndromic surveillance. Preventive veterinary medicine, 121(1-2), pp.1-7.

Tribunal de Cuentas Europeo. (2016). Informe Especial sobre Programas de erradicación control y vigilancia para combatir las enfermedades animales: . Luxemburgo: Oficina de Publicaciones de la Unión Europea.

VanderWaal, K., Morrison, R.B., Neuhauser, C., Vilalta, C. and Perez, A.M., 2017. Translating big data into smart data for veterinary epidemiology. Frontiers in veterinary science, 4, p.110.

Vial, F., & Berezowski, J. (2015). A practical approach to designing syndromic surveillance systems for livestock and poultry. Preventive veterinary medicine, 120(1), 27-38.

Vial F. and Reist M. (2014). Evaluation of Swiss slaughterhouse data for integration in a syndromic surveillance system BMC. Vet Res. 10 (33) 1–12.

Ward M. and Carpenter T. (2000). Techniques for analysis of disease clustering in space and in time in veterinary epidemiology. Prev. Vet. Med. (45) 257–284.

WHO Global Epidemiological Surveillance Standards for Influenza. (2014). ISBN: 978 92 4 150660 1. (http://www.who.int/influenza/resources/documents/influenza_surveillance_manual/en/)

Zurbrigg KJ, den Borre NM. Factors associated with good compliance and long-term sustainability in a practitioner-based livestock disease surveillance system. Can Vet J. 2013;54(3):243–248.